



**Safety Data Sheet**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Revision Date: NA Date of issue: 01/22/2025

**Storm Breaker Silicone Single Ply Primer**

Version: 1.0

*Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Union REACH Regulations*

**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

**Product Name:** Storm Breaker Silicone Single Ply Primer

**Product Code:** F0251-22420-5

**Intended Use of the Product**

Silicone Single Ply Primer

**Name, Address, and Telephone of the Responsible Party**

**Manufacturer**

BITEC, Inc.  
#2 Industrial Park Drive  
Morrilton, AR 72110  
T-800-535-8597  
F-501-354-3019  
www.BITEC.com

**Emergency Telephone Number**

**Emergency Number:** 1-800-535-8597

**SECTION 2 - HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW:**

**Product Description:** This product is a liquid, various colors, with a slight odor.

**Health Hazards:** Exposure to the product may cause skin and eye irritation. May be harmful if inhaled. Ingestion is not a normal route of exposure under normal product use. If swallowed, product may cause gastrointestinal irritation.

**Flammability Hazards:** This product is a flammable liquid as defined by OSHA with a flash point of approximately 40°F

**Reactivity Hazards:** None known.

**Environmental Hazards:** The environmental effects of this product have not been investigated; however it is expected to cause adverse effects in the environment.

**Emergency Considerations:** Emergency responders must wear the proper personal protective equipment (and have appropriate fire-suppression equipment) suitable for the situation to which they are responding.

**GHS Hazard Symbols**



**Signal Word:** Danger!

**GHS CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:**

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 and regulation (EU) No. 2020/878 and regulation (EC) No. 1272/2008.

**EU HAZARD CLASSIFICATION OF INGREDIENTS:**

- EC# 208-760-7 This substance is not classified in the Annex VI
- EC# 201-083-8 Annex VI Index# 014-005-00-0
- EC# 241-866-1 This substance is not classified in the Annex VI
- EC# 200-661-7 Annex VI Index# 603-117-00-0
- EC# 215-535-7 Annex VI Index# 601-022-00-9

**Component(s) Contributing to Classification(s)**

Tert-Butyl Acetate, Tetraethyl Orthosilicate, Titanium Acetylacetonate, Isopropanol, Xylene

**GHS Hazard Classification(s):**

Flammable Liquid Category 2

# Storm Breaker Silicone Single Ply Primer

## Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Acute Toxicity Category 4 (Inhalation)

Skin Irritation Category 2

Eye Irritation Category 2A

Specific Target Organ Toxicity – Single Exposure Category 3 (Respiratory Irritation)

### **Hazard Statement(s):**

H225: Highly flammable liquid and vapour

H332: Harmful if inhaled

H315: Causes skin irritation

H319: Causes serious eye irritation

H335: May cause respiratory irritation

### **Prevention Statement(s):**

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P240: Ground and bond container and receiving equipment.

P241: Use explosion proof equipment.

P242: Use non-sparking tools.

P243: Take action to prevent static discharges.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

### **Response Statement(s):**

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P370+P378: In case of fire: Use media defined in Section 5 to extinguish.

P321: Specific treatment (See Section 4 of this SDS).

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER/doctor if you feel unwell.

### **Storage Statement(s):**

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P235: Keep cool.

P405: Store locked up.

### **Disposal Statement(s):**

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

### **Other Known Hazards:**

This product does not meet the criteria for PBT or vPvB in accordance with Annex XIII.

Endocrine Disruptor Information: This product does not contain chemicals on the Candidate List of substances of very high concern for Authorisation.

### **HEALTH HAZARDS OR RISKS FROM EXPOSURE:**

**ACUTE:** This material may cause irritation to skin, eye, and respiratory system. May cause skin sensitization. Ingestion of this product may cause gastrointestinal irritation. This product contains an ingredient(s) that are suspected of causing reproductive harm.

**CHRONIC:** Prolonged or repeated skin contact may cause skin reactions.

**TARGET ORGANS:** ACUTE: Eye, Skin, Respiratory System CHRONIC: Respiratory System

## SECTION 3 – COMPOSITION and INFORMATION

HAZARDOUS INGREDIENTS:	CAS #	ICSC #	WT %	GHS HAZARD CLASSIFICATION(S):
Tert-Butyl Acetate	540-88-5	1123	60-70%	Flammable Liquid Cat 2
Tetraethyl Orthosilicate	78-10-4	1292	5-18%	Flammable Liquid Cat 3, Eye irritant Cat 2 Acute Toxicity Cat 4 (Inhal), STOT SE Cat 3 (irrit)

# Storm Breaker Silicone Single Ply Primer

## Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Xylene	1330-20-7	Not Listed	7-10%	Flammable Liquid Cat 3, Acute Toxicity Cat 4 (Dermal/Inhalation), Skin Irritant Cat 2
Titanium Acetylacetonate	17927-72-9	Not Listed	5-7%	Skin Irritant Cat 2, Eye Irritant Cat 2, STOT SE Cat 3 (Respiratory irritant)
Isopropanol	67-63-0	1219	1-2%	Flammable Liquid Cat 2, Eye Irritant Cat 2,

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

\* Ingredients are Company Trade Secret - Business Confidential. Progressive Materials LLC is withholding the specific chemical information under provision of the OSHA Hazard Communication Rule Trade Secrets (1910.1200(i)(1)). The specific chemical information will be made available to health professionals in accordance with 29 CFR 1910.1200 (i)(1) (2) (3) (4).

### SECTION 4 - FIRST-AID MEASURES

**EYE CONTACT:** If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation develops.

**SKIN CONTACT:** Wash skin thoroughly after handling. Seek medical attention if irritation develops and persists. Remove contaminated clothing. Launder contaminated clothing before re-use.

**INHALATION:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention if breathing difficulty continues.

**INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or MSDS with the victim to the health professional.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Pre-existing skin, or eye problems may be aggravated by exposure to this product.

**RECOMMENDATIONS TO PHYSICIANS:** Treat symptoms and reduce over-exposure

### SECTION 5 - FIRE-FIGHTING MEASURES

**FLAMMABLE LIMITS (in air by volume, %):** Lower (LEL): Not Established Upper (UEL): Not Established

**FIRE EXTINGUISHING MATERIALS:** Carbon dioxide, foam, dry chemical, halon, water spray, sand, limestone powder.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** This material has been tested to ASTM D-4206 Standard and found not to sustain combustion

Explosion Sensitivity to Mechanical Impact: Not Sensitive.

Explosion Sensitivity to Static Discharge: Not Sensitive

**SPECIAL FIRE-FIGHTING PROCEDURES:** Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

Dispose of in accordance with applicable Federal, State and

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

**SPILL AND LEAK RESPONSE:** Personnel should be trained for spill response operations.

**SPILLS:** Contain spill if safe to do so. Prevent entry into drains, sewers, and other waterways. Soak up with a non-combustible absorbent material and place in an appropriate container for disposal.

**WORK PRACTICES AND HYGIENE PRACTICES:** As with all chemicals, avoid getting this product ON YOU or IN YOU.

### SECTION 7 - HANDLING and STORAGE

# Storm Breaker Silicone Single Ply Primer

## Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Wash thoroughly after handling this product. Do not eat, drink, smoke, or apply cosmetics while handling this product. Avoid breathing vapors/mists generated by this product. Use in a well-ventilated location. Remove contaminated clothing immediately.

**STORAGE AND HANDLING PRACTICES:** Keep container tightly closed and in a dry and cool place.

## SECTION 8 - EXPOSURE CONTROLS - PERSONAL PROTECTION

**EXPOSURE LIMITS/GUIDELINES:** No data available for this product.

Chemical Name	CAS#	ACGIH TWA	OSHA TWA	WEEL
Tert-Butyl Acetate	540-88-5	200 ppm	200 ppm 950 mg/m <sup>3</sup>	Not Listed
Tetraethyl Orthosilicate	78-10-4	10 ppm	100 ppm 850 mg/m <sup>3</sup>	Not Listed
Titanium Acetylacetonate	17927-72-9	Not Listed	Not Listed	Not Listed
Isopropanol	67-63-0	200 ppm	400 ppm 980 mg/m <sup>3</sup>	Not Listed
Xylene	1330-20-7	100 ppm	100 ppm 435 mg/m <sup>3</sup>	Not Listed

Currently, International exposure limits are not established for the components of this product. Please check with competent authority in each country for the most recent limits in place.

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.

*The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.*

**RESPIRATORY PROTECTION:** Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

**EYE PROTECTION:** Safety glasses or chemical goggles as appropriate to prevent eye contact. If necessary, refer to

U.S. OSHA 29 CFR 1910.133 or appropriate Canadian Standards.

**HAND PROTECTION:** Use chemical resistant gloves to prevent skin contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138 or appropriate Standards of Canada.

**BODY PROTECTION:** Use body protection appropriate to prevent contact (e.g. lab coat, overalls). If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

## SECTION 9 - PHYSICAL and CHEMICAL PROPERTIES

### INFORMATION ON BASIC PHYSICAL AND

# Storm Breaker Silicone Single Ply Primer

## Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

## *P-151 Single-Ply Primer*

<b>PHYSICAL STATE:</b>	Liquid
<b>APPEARANCE :</b>	Liquid, various colors
<b>ODOR THRESHOLD (PPM):</b>	Not Available
<b>FLASH POINT:</b>	-40 F
<b>AUTOIGNITION TEMPERATURE:</b>	Not Established
<b>VAPOR PRESSURE (mmHg):</b>	Not Available
<b>VAPOR DENSITY:</b>	Not Available
<b>EVAPORATION RATE (nBuAc = 1):</b>	Not Available
<b>BOILING POINT (C°):</b>	Not Available
<b>FREEZING POINT (C°):</b>	Not Available
<b>pH:</b>	Not Available
<b>SPECIFIC GRAVITY 20°C: (WATER =1)</b>	Not Available
<b>SOLUBILITY IN WATER (%)</b>	Not Available
<b>EXPLOSIVE PROPERTIES:</b>	Not Available
<b>OXIDISING PROPERTIES:</b>	Not Available

### INFORMATION WITH REGARD TO PHYSICAL HAZARD CLASSES

<b>EXPLOSIVES:</b>	
<b>FLAMMABLE GASES:</b>	Not Available
<b>AEROSOLS:</b>	Not Available
<b>OXIDISING GASES:</b>	Not Available
<b>GASES UNDER PRESSURE:</b>	Not Available
<b>FLAMMABLE LIQUIDS:</b>	Not Available
<b>FLAMMABLE SOLIDS:</b>	Not Available
<b>SELF-REACTIVE SUBSTANCES AND MIXTURES:</b>	Not Available
<b>PYROPHORIC LIQUIDS:</b>	Not Available
<b>PYROPHORIC SOLIDS:</b>	Not Available
<b>SELF-HEATING SUBSTANCES AND MIXTURES:</b>	Not Available

**SUBSTANCES AND MIXTURES, WHICH EMIT FLAMMABLE GASES IN CONTACT WITH WATER:** Not Available

<b>OXIDISING LIQUID:</b>	Not Available
<b>OXIDISING SOLID:</b>	Not Available
<b>ORGANIC PEROXIDES:</b>	Not Available
<b>CORROSIVE TO METALS:</b>	Not Available
<b>DESENSITISED EXPLOSIVES:</b>	Not Available
<b>GASES UNDER PRESSURE:</b>	Not Available

### OTHER SAFETY CHARACTERISTICS

**MECHANICAL SENSITIVITY:** Not Available

# Storm Breaker Silicone Single Ply Primer

## Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

### SECTION 10 - STABILITY and REACTIVITY

**REACTIVITY:** No specific data available.

**STABILITY:** Product is stable.

**DECOMPOSITION PRODUCTS:** When heated to decomposition this product produces noxious gases such as CO, CO<sub>2</sub>, and others.  
**MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:** None known.

**HAZARDOUS POLYMERIZATION:** Will not occur.

**CONDITIONS TO AVOID:** Heat and sources of ignition

### SECTION 11 - TOXICOLOGICAL INFORMATION

**TOXICITY DATA:** Toxicity data is available for this product:

CAS# 540-88-5 LD50 Acute Oral	4100 mg/kg	Rat
CAS# 540-88-5 LD50 Acute Dermal	200 mg/kg	Rabbit
CAS# 78-10-4 LD50 Acute Oral	2500 mg/kg	Rat
CAS# 78-10-4 LD50 Acute Dermal	5878 mg/kg	Rabbit

Acute toxicity	Acute Toxicity Category 4 (Inhalation)
Skin corrosion / irritation	Skin Irritation Category 2
Serious eye damage / irritation	Eye Irritation Category 2A
Respiratory or skin sensitization	Based on available data, the classification criteria are not met
Germ cell mutagenicity	Based on available data, the classification criteria are not met
Carcinogenicity	Based on available data, the classification criteria are not met
Reproductive toxicity	Based on available data, the classification criteria are not met
STOT-single exposure	Specific Target Organ Toxicity – Single Exposure (Respiratory Irritation)
STOT-repeated exposure	Based on available data, the classification criteria are not met
Aspiration hazard	Based on available data, the classification criteria are not met

**SUSPECTED CANCER AGENT:** None of the ingredients are found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore are not considered to be, or suspected to be a cancer-causing agent by these agencies.

**IRRITANCY OF PRODUCT:** Contact with this product can be irritating to exposed skin, eyes, and respiratory system.

**SENSITIZATION OF PRODUCT:** This product is not expected to be a skin sensitizer.

**REPRODUCTIVE TOXICITY INFORMATION:** No specific data available for this product.

**SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:** May cause respiratory irritation.

**SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:** None known

**ASPIRATION HAZARD:** None

**INFORMATION ON OTHER HAZARD CLASSES WHICH RELATES TO ENDOCRINE DISRUPTING PROPERTIES:**

No specific data available for this product.

### SECTION 12 - ECOLOGICAL INFORMATION

**ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.**

**TOXICITY:** No specific data is currently available on this product's effects on aquatic life, however release of this product may have long term effects on the aquatic environment.

**PERSISTENCE AND DEGRADABILITY:** No specific data available on this product.

**BIOACCUMULATIVE POTENTIAL:** No specific data available on this product.

**MOBILITY IN SOIL:** No specific data available on this product.

**RESULTS OF PBT AND vPvB ASSESMENT:** No specific data available on this product.

**OTHER ADVERSE EFFECTS:** No specific data available on this product.

**WATER ENDANGERMENT CLASS:** Not believed to be water endangering in accordance with EU Guideline 91/155-EWG. At present there are no ecotoxicological assessments for this product.

**ENDOCRINE DISRUPTING PROPERTIES:** No specific data available on this product.

### SECTION 13 - DISPOSAL CONSIDERATIONS

**PREPARING WASTES FOR DISPOSAL:** Waste disposal must be in accordance with appropriate Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

# Storm Breaker Silicone Single Ply Primer

## Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

**RCRA WASTE CODE:** None listed

**EU WASTE CODE:** Not Listed

### SECTION 14 - TRANSPORTATION INFORMATION

#### US DOT; IATA; IMO; ADR:

**THIS PRODUCT IS CLASSIFIED AS DANGEROUS GOODS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.**

**PROPER SHIPPING NAME:** Flammable Liquid, n.o.s. (Contains Tert-Butyl Acetate, Xylene)

**HAZARD CLASS NUMBER and DESCRIPTION:** Class 3 Flammable

**UN IDENTIFICATION NUMBER:** UN1993

**PACKING GROUP:** PGII

**DOT LABEL(S) REQUIRED:** Flammable class 3

**NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER (2020):** 128

**MARINE POLLUTANT:** This product's ingredients that are not classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

#### TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:

This product is classified as Dangerous Goods, per regulations of Transport Canada.

#### INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA):

**PROPER SHIPPING NAME:** Flammable Liquid, n.o.s. (Contains Tert-Butyl Acetate, Xylene)

**HAZARD CLASS NUMBER and DESCRIPTION:** Class 3 Flammable

**UN IDENTIFICATION NUMBER:** UN1993

**PACKING GROUP:** PGIII

**DOT LABEL(S) REQUIRED:** Flammable class 3

#### INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION:

This product is classified as Dangerous Goods by the International Maritime Organization.

#### EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR):

This product is not classified by the United Nations Economic Commission for Europe to be dangerous goods.

Harmonized Tariff Code Not Listed

### SECTION 15 - REGULATORY INFORMATION

#### UNITED STATES REGULATIONS

**SARA REPORTING REQUIREMENTS:** This product is subject to the reporting requirements of Sections 302, 304 and 313 of Title III of the Superfund Amendments and Reauthorization Act., as follows:

SARA 313:

Xylene CAS# 1330-20-7

Isopropanol CAS# 67-63-0

**TSCA:** All components in this product are listed on the US Toxic Substances Control Act (TSCA) inventory of chemicals.

#### SARA 311/312:

Acute Health: Yes

Chronic Health: No

Fire: Yes

Reactivity: No

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for this product.

The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lb (4,540 kg) may apply, per 40 CFR 370.20.

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** None

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):** This product does not contain chemicals on the Prop 65 list.

#### CANADIAN REGULATIONS:

**CANADIAN DSL/NDL INVENTORY STATUS:** All of the components of this product are on the DSL Inventory

**CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:** No component of this product is on the CEPA First Priorities Substance Lists

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** Classified per WHMIS 2015

#### EUROPEAN ECONOMIC COMMUNITY INFORMATION:

##### EU LABELING AND CLASSIFICATION:

Classification of the mixture according to Regulation (EC) No1272/2008. See section 2 for details.

#### AUSTRALIAN INFORMATION FOR PRODUCT:

**AUSTRALIAN INVENTORY OF CHEMICAL SUBSTANCES (AICS) STATUS:** All components of this product are listed

# Storm Breaker Silicone Single Ply Primer

## Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

or exempt from listing on the AICS.

**STANDARD FOR THE UNIFORM SCHEDULING OF DRUGS AND POISONS:** Not applicable.

### JAPANESE INFORMATION FOR PRODUCT:

**JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS:** The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

### INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac:	Listed
Australian Inventory of Chemical Substances (AICS):	Listed
Korean Existing Chemicals List (ECL):	Listed
Japanese Existing National Inventory of Chemical Substances (ENCS):	Listed
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	Listed
Swiss Giftliste List of Toxic Substances:	Listed
U.S. TSCA:	Listed

## SECTION 16 - OTHER INFORMATION

**Revision date** : 01/22/2025

**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### **Party Responsible for the Preparation of This Document**

BITEC, Inc.  
#2 Industrial Park Drive  
Morrilton, AR 72110  
T-800-535-8597

*This information is based on our knowledge as of the Revision Date and is intended to describe the product only for the purposes of health, safety, and environmental requirements as of the Revision Date. It should not therefore be construed as guaranteeing any specific property of the product nor as providing any warranty, expressed or implied. The user assumes all responsibility, liability, risk of loss, damage, or expense arising out of, or in any way connected with, the handling, storage, use, or disposal of the product.*

North America GHS US 2019 & WHMIS