


STRONGHOLD WALKWAY,  
HOT-AIR-WELDED OR  
ADHERED TO ROOF  
MEMBRANE WITH  
STRONGHOLD BONDING  
ADHESIVE



ROLLING PIPE SUPPORT BASE, SET  
ON PROTECTION PAD OR ADHERED  
ACCORDING TO THE  
MANUFACTURER'S GUIDELINES.

**NOTES:**

1. STRONGHOLD FLEECE-BACK MEMBRANE, APPLIED IN A SPATTER COAT OF STRONGHOLD FOAMABLE OR PUMP GRADE ADHESIVE MAY BE SUBSTITUTED FOR SMOOTH MEMBRANE IN BONDING ADHESIVE.
2. REFER TO THE PIPE SUPPORT SYSTEM MANUFACTURER FOR ADDITIONAL INSTALLATION GUIDELINES.

**STRONGHOLD**™

ROLLING PIPE SUPPORT

#2 Industrial Park Drive · PO Box 497 · Morrilton, AR 72110  
Customer Service: (800) 535-8597 · Fax: (501) 354-3019 · [www.bitec.com](http://www.bitec.com)

**BITEC**®  
WHEN QUALITY MATTERS™

NOT DRAWN TO SCALE

Reference: SH-W-PS

Rev. 11/2025 © BITEC, Inc.