

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Viking™ Tar Resaturant

Product Code: 5401

Intended Use of the Product

Silicone Coating

Name, Address, and Telephone of the Responsible Party

Manufacturer

BITEC, Inc.
#2 Industrial Park Drive
Morrilton, AR 72110
T-800-535-8597
F-501-354-3019
www.bitec.com

Emergency Telephone Number

Emergency Number: 1-800-535-8597

SECTION 2: HAZARDS IDENTIFICATION

Classification (GHS-US)

Flam. Liq. 3	H226
Mutagen 1B	H340
Skin Sens. 1	H317
Carc. 1A	H350
Repr. 1B	H360

Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : DANGER

Hazard Statements (GHS-US) : H226 - Flammable liquid and vapour
H317 - May cause an allergic skin reaction
H340 - May cause genetic defects
H350 - May cause cancer
H360 - May damage fertility or the unborn child

Precautionary Statements (GHS-US) : P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P210 - Keep away from open flames, sparks. - No smoking
P233 - Keep container tightly closed
P240 - Ground/bond container and receiving equipment

Viking™ Tar Resaturant

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

P241 - Use explosion-proof electrical, lighting, ventilating equipment
P242 - Use only non-sparking tools
P243 - Take precautionary measures against static discharge
P261 - Avoid breathing mist, spray, vapours
P272 - Contaminated work clothing must not be allowed out of the workplace
P280 - Wear protective gloves, eye protection, face protection
P302+P352 - If on skin: Wash with plenty of water
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P308+P313 - If exposed or concerned: Get medical advice/attention
P321 - Specific treatment (see details on this label)
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P362+P364 - Take off contaminated clothing and wash it before reuse
P370+P378 - In case of fire: Use powder, water spray, foam, carbon dioxide to extinguish.
P403+P235 - Store in a well-ventilated place. Keep cool
P405 - Store locked up
P501 - Dispose of contents/container to in accordance with local, regional, and national regulations.

Other Hazards

Skin irritation may be aggravated by exposure to sunlight/UV rays.

Unknown Acute Toxicity (GHS-US) Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

HAZARDOUS INGREDIENTS:	CAS #	WT %	GHS HAZARD CLASSIFICATION(S):
pitch, coal tar, high-temp	(CAS No) 65996-93-2	60-65	Muta. 1B, H340 Carc. 1B, H350 Repr. 1B, H360
Solvent naphtha (petroleum), light arom., Low boiling point naphtha - unspecified, [A complex combination of hydrocarbons obtained from distillation of aromatic streams. It consists predominantly of aromatic hydrocarbons having carbon numbers predominantly in the range of C8 through C10 and boiling in the range of approximately 135°C to 210°C (275°F to 410°F).]	(CAS No) 64742-95-6	15-20	Muta. 1B, H340 Carc. 1B, H350 Asp. Tox. 1, H304
1,2,4-trimethylbenzene	(CAS No) 95-63-6	<= 6.0	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation:vapour), H332 Skin Irrit. 2, H315 STOT SE 3, H335 Aquatic Chronic 2, H411

Viking™ Tar Resaturant

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

fluoranthene	(CAS No) 206-44-0	2.2 - 2.6	Acute Tox. 4 (Oral), H302
phenanthrene	(CAS No) 85-01-8	1.91 - 2.36	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Skin Sens. 1, H317 STOT SE 3, H335 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
thickening clay	(CAS No) 12174-11-7	2-3	Carc. 2, H351
benzo[a]anthracene	(CAS No) 56-55-3	0.8 - 1.04	Carc. 1B, H350 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
chrysene	(CAS No) 218-01-9	0.8 - 1.0	Muta. 2, H341 Carc. 1B, H350 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
benzo[a]pyrene	(CAS No) 50-32-8	0.8 - 0.95	Skin Sens. 1, H317 Muta. 1B, H340 Carc. 1A, H350 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
indeno(1,2,3-cd)pyrene	(CAS No) 193-39-5	0.60 - 0.73	Carc. 1B, H350
benzo[e]acephenanthrylene	(CAS No) 205-99-2	0.58 - 0.67	Carc. 1B, H350 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
cumene	(CAS No) 98-82-8	<= 0.21	Flam. Liq. 3, H226 Carc. 2, H351 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
dibenz(a,h)anthracene	(CAS No) 53-70-3	0.14 - 0.19	Carc. 1B, H350 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
dibenzo(a,i)pyrene	(CAS No) 189-55-9	0.14 - 0.19	Carc. 1B, H350
silica	(CAS No) 14808-60-7	< 0.15	Carc. 1A, H350 STOT RE 1, H372

Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

Viking™ Tar Resaturant

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Composition comments Exact concentrations and chemical identities of ingredients not listed above are either classified as non-hazardous or are withheld as a trade secret as covered by OSHA's Hazard Communication Standard, 29 CFR 1910.1200(i).

SECTION 4: FIRST AID MEASURES

Description of first aid measures

- General** Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.
- Inhalation** Allow victim to breathe fresh air. Allow the victim to rest.
- Eyes** Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
- Skin** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. If skin irritation or rash occurs: Consult a doctor/medical service. Get medical advice/attention. Wash contaminated clothing before reuse.
- Ingestion** Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most important symptoms and effects, both acute and delayed:

- Symptoms/injuries after inhalation : Irritating to the respiratory tract. Prolonged or repeated breathing of very high vapor concentrations cause euphoria, excitation, and dizziness, headaches, nausea, and vomiting, abdominal pain, fatigue, muscular weakness. Aspiration into the lungs can cause CNS(central nervous system) symptoms and subsequent aspiration into the lungs can cause pulmonary edema and chemical pneumonia depression. Chronic overexposure in high concentrations may produce CNS depression.
- Symptoms/injuries after skin contact : Prolonged or repeated skin contact may cause moderate to severe irritation including itching and redness of the skin, defatting, and/or dermatitis. This product can be absorbed through the skin and produce CNS symptoms. Single prolonged exposure is not likely to result in the product being absorbed through the skin in harmful amounts. Photosensitization of the skin may occur. This irritation has a burning sensation somewhat like sunburn and is accentuated by sunlight. Repeat or prolonged contact may contribute to conditions such as dermatitis, tar warts, and rough skin.
- Symptoms/injuries after eye contact : May cause tearing, stinging, redness, irritation, and burns.
- Symptoms/injuries after ingestion : Irritation of the mouth, esophagus, and stomach can develop following ingestion. Symptoms include burning of the mouth, sore throat, vomiting, nausea, dizziness, loss of consciousness. Due to its light viscosity, there is danger of aspiration into the lungs during vomiting. Aspiration can result in severe lung damage or death.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

Water, carbon dioxide, foam or dry powder.

Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce carbon monoxide, oxides of nitrogen and various hydrocarbon fragments.

Advice for fire-fighters

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Put on appropriate personal protective equipment (see section 8).

Environmental precautions

Do not allow spills to enter drains or waterways. Avoid release to the environment.

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Methods and material for containment and cleaning up

Small spill: Remove with absorbent material.

Large spill: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Keep from freezing. See section 2 for further details. - [Prevention]:

Viking™ Tar Resaturant

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Incompatible materials: No known incompatible materials for this product.

Recommended storage range is 45 - 90°F. Keep container tightly closed. See section 2 for further details. - [Storage]:

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls

Chemical Name	CAS#	ACGIH TWA	OSHA TWA
Coal Tar Pitch	65996-93-2	0.2 mg/m3	Not Listed
Cumene	98-82-8	50 ppm	245 mg/m3
1,2,4-trimethylbenzene	95-63-6	25 ppm	Not Listed
Silica	14808-60-7	0.025 mg/m3	See table Z-3

Appropriate engineering controls

Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above. Use local exhaust ventilation to control airborne vapor. Ensure eyewash/safety shower stations are available near areas where this product is used.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

Hand protection

: Wear protective gloves

Eye protection

: Chemical goggles or safety goggles

Respiratory protection

: Maintain airborne contaminant concentrations below guidelines listed above, if applicable. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

Body Protection

: Use of protective creams and sunscreen agents are recommended. Protective creams or "barrier creams" form a film that acts as both a chemical and physical "barrier" between skin and the contaminant and tends to penetration of the contaminant into the pores of the skin. In applying "barrier" creams, be sure the skin is clean and dry. Sunscreen agents filter out most of the rays from the sun.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Viking™ Tar Resaturant

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Information on Basic Physical and Chemical Properties

Physical state	: Liquid
Appearance	: A black, thick consistency liquid.
Colour	: Black
Odour	: Tar odour;Aromatic Solvent Odor.
Odour threshold	: No data available
pH	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 105 °F
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: > 1.05 g/cm ³
Solubility	: Water: Solubility in water of component(s) of the mixture : • benzo[a]pyrene: < 0.00001 g/100ml • benzo[e]acephenanthrylene: < 0.00001 g/100ml • naphthalene: 0.0030 g/100ml • phenanthrene: insoluble • pyrene: 0.000012 g/100ml • dibenz(a,h)anthracene: 0.00000025 g/100ml • benzo[a]anthracene: 0.00001 g/100ml • fluoranthene: 0.000026 g/100ml • dibenzo(a,i)pyrene: insoluble • chrysene: 0.00000020 g/100ml • indeno(1,2,3-cd)pyrene: < 0.00001 g/100ml • acenaphthene: insoluble • cumene: 0.005 g/100ml • 1,2,4-trimethylbenzene: 0.0060 g/100ml • silica: insoluble • thickening clay: insoluble • cellulose: < 0.1 g/100ml • chalk: < 0.1 g/100ml
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Hazardous Polymerization will not occur.

Chemical stability

Flammable liquid and vapour. May form flammable/explosive vapor-air mixture.

Possibility of hazardous reactions

No data available.

Conditions to avoid

Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

Incompatible materials

Strong acids. Strong bases. Oxidizing agent.

Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. May release flammable gases.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Octamethylcyclotetrasiloxane CAS #: 556-67-2	1540 mg/kg Rat	>2400 mg/kg Rat	Not listed	>12.7 mg/kg/4Hr Rat	Not listed

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Viking™ Tar Resaturant

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Carcinogen Data

Ingredients are not found on the following lists: FEDERAL OSHA Z LIST, NTP, CAL/OSHA, IARC and therefore are not considered to be, nor suspected to be a cancer-causing agent by these agencies.

SECTION 12: ECOLOGICAL INFORMATION

Toxicity

No specific data is currently available on this product's effects on aquatic life, however release of this product may have long term effects on the aquatic environment.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish mg/L	48 hr EC50 crustacea mg/L	24 hr ErC50 algae, mg/l
Octamethylcyclotetrasiloxane (556-67-2)	>500 mg/L, Brachydanio rerio	>1000 mg/L, Lepomis macrochirus	25.2 mg/L, Daphnia magna

Persistence and degradability

There is no data available on the preparation itself.

Bioaccumulative potential

Not Measured

Mobility in soil

No data available.

Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology – Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

In Accordance with DOT

Not regulated when shipped in containers <119 gallons domestically

Proper Shipping Name	: None
Hazard Class	: None
Identification Number	: None
Packing Group	: None
Hazard Class	: None

SECTION 15: REGULATORY INFORMATION

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

benzo[e]acephenanthrylene	CAS No 205-99-2	0.6258%
dibenzo(a,i)pyrene	CAS No 189-55-9	0.1657%
silica	CAS No 14808-60-7	0.1455%
thickening clay	CAS No 12174-11-7	2.256%
xpanded perlite	CAS No 93763-70-3	2.9985%

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Viking™ Tar Resaturant

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Benzo[a]pyrene (50-32-8)

Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists) 1 lb

Benzo[b]fluoranthene (205-99-2)

Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists) 1 lb

Phenathrene (85-01-8)

Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists) 5000 lb

dibenz(a,h)anthracene (53-70-3)

Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists) 1 lb

benzo[a]anthracene (56-55-3)

Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists) 10 lb

fluoranthene (206-44-0)

Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists) 100 lb

dibenzo(a,i)pyrene (189-55-9)

Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists) 10 lb

chrysene (218-01-9)

Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists) 100 lb

indeno(1,2,3-cd)pyrene (193-39-5)

Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists) 100 lb

cumene (98-82-8)

Listed on United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists) 5000 lb

1,2,4-trimethylbenzene (95-63-6)

Listed on United States SARA Section 313

CANADA

Benzo[a]pyrene (50-32-8)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Benzo[b]fluoranthene (205-99-2)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

dibenz(a,h)anthracene (53-70-3)

Listed on IARC (International Agency for Research on Cancer)

Viking™ Tar Resaturant

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Listed as carcinogen on NTP (National Toxicology Program)

benzo[a]anthracene (56-55-3)

Listed on IARC (International Agency for Research on Cancer)

dibenzo(a,i)pyrene (189-55-9)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

chrysene (218-01-9)

Listed on IARC (International Agency for Research on Cancer)

indeno(1,2,3-cd)pyrene (193-39-5)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Pitch, coal tar, high temp. (65996-93-2)

Listed on IARC (International Agency for Research on Cancer)

cumene (98-82-8)

Listed on IARC (International Agency for Research on Cancer)

US STATE REGULATIONS

Benzo[a]pyrene (50-32-8)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	0.06

Benzo[b]fluoranthene (205-99-2)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	0.096

dibenz(a,h)anthracene (53-70-3)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	0.2

benzo[a]anthracene (56-55-3)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	0.033

dibenzo(a,i)pyrene (189-55-9)

U.S. - California - Proposition 65 -	U.S. - California - Proposition 65 -	U.S. - California - Proposition 65 -	U.S. - California - Proposition 65 -	No significance risk level (NSRL)
---	---	---	---	--------------------------------------

Viking™ Tar Resaturant

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

Carcinogens List	Developmental Toxicity	Reproductive Toxicity - Female	Reproductive Toxicity - Male	
Yes	No	No	No	0.0050
chrysene (218-01-9)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	0.35
Indeno (1,2,3-cd)pyrene (193-39-5)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	
cumene (98-82-8)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	
thickening clay (12174-11-7)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	
Benzo[a]pyrene (50-32-8)				
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List				
Benzo[b]fluoranthene (205-99-2)				
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List				
Phenathrene (85-01-8)				
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List				
dibenz(a,h)anthracene (53-70-3)				
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List				
benzo[a]anthracene (56-55-3)				
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List				
fluoranthene (206-44-0)				
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List				
dibenzo(a,i)pyrene (189-55-9)				
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List				
chrysene (218-01-9)				

Viking™ Tar Resaturant

Safety Data Sheet

According to Federal Register/Vol. 77, No. 58/Monday, March 26, 2012/Rules and Regulations

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

indeno(1,2,3-cd)pyrene (193-39-5)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

Pitch, coal tar, high temp. (65996-93-2)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

cumene (98-82-8)

U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - Pennsylvania - RTK (Right to Know) List

1,2,4-trimethylbenzene (95-63-6)

U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 01/19/2026

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Party Responsible for the Preparation of This Document

BITEC, Inc.
#2 Industrial Park Drive
Morrilton, AR 72110
T-800-535-8597

This information is based on our knowledge as of the Revision Date and is intended to describe the product only for the purposes of health, safety, and environmental requirements as of the Revision Date. It should not therefore be construed as guaranteeing any specific property of the product nor as providing any warranty, expressed or implied. The user assumes all responsibility, liability, risk of loss, damage, or expense arising out of, or in any way connected with, the handling, storage, use, or disposal of the product.

North America GHS US 2019 & WHMIS